


HUSSmann®

CONVENIENCE CATALOGUE



Chillers



Freezers




Hot



Deli

Innovating Climate Solutions for A Better Future



Design & Engineering



Procurement



Project Management



Installation & Commissioning



Service & Maintenance

Table of Content

MULTIDECK DISPLAY CABINET	06
H2TMS - Multideck Open Front Chiller Cabinet	
H2TMDS - Multideck Glass Door Chiller Cabinet	
H2TLDS - Multideck Glass Door Freezer Display	
H2TH - Multideck Open Front Hot Cabinet - Coming soon	
VERTICAL FOOD & BEVERAGE	14
BV520 W VS - Single Glass Door Chiller	
BV770 W VS - Single Glass Door Chiller	
BV1300 W VS - Double Glass Door Chiller	
BV1600 W VS - Triple Glass Door Chiller	
SEMI-VERTICAL GRAB'N GO CABINETS	16
SGN141S - Semi-vertical Open Front Display Cabinet	
SGN152S - Semi-vertical Open Front Display Cabinet	
SGND153S - Semi-vertical Glass Door Cabinet (Hinged)	
SGND153S - Semi-vertical Glass Door Cabinet (Sliding)	
DUAL TEMPERATURE & SPECIALTY	20
View (Variable Speed) VS Series - Dual Temperature Variable Speed Island Cabinet	
Arch (Fixed Speed) Series - Modular Dual Temperature Island Cabinet	
Arch (Variable Speed) VS Series - Modular Dual Temperature Variable Speed Island Cabinet	
Arch Plus - Dual Temperature Vertical Top Mounted Cabinet	
SERVE-OVER DELI DISPLAY CABINETS	22
VLL726BLS - Serviced Deli Self-contained Display Cabinet	
VVS727B - Self Serve Specialty 2 Tier Display Cabinet	
VLL726BLS - Self Serve Specialty 1 Tier Display Cabinet	
VLL727BL - Serviced Seafood Display Cabinet	
HEATED DISPLAY CABINET	26
REM - 2-Tier Self Service Display Cabinet	
RHR - 2-Tier Self Service Display Cabinet	
MIC - 2-Tier Self Service Display Cabinet	
KH14 - 2-Tier Self Service Display Cabinet	
SMNH1400 - Semi Vertical Hot Cabinet	
VLL926BL-SS - Hot Self Serve	
VLL926BL-SO - Hot Serviced	
PROMOTIONAL DISPLAY MERCHANDISERS	31
JM12-2 - Island Merchandiser	
JM09 - Island Merchandiser	



BEVERAGES

HOT CASE

ORDER HERE

ESPRESSO		HOT DRINKS	
KAKAO	2.00 2.10	WASSER L	0.3
KAKAO MIT	1.90 2.50	APFELSAFT E 0.3	
CHAI LATTE	2.20	LEMONADE 0.3	2.30
EXTRA SAHNE	1.40	CHARITEA 0.3	3.50
EXTRA SHOT	1.20	GOKA COLA 0.2	2.40
EXTRA / SOJA	3.50	FRITZ KOLA 0.2	2.40
HOT CHOCOLATE	3.00	PETER PAN 0.3	4.50

HOT CASE

Multideck

Display Cabinets



Benefits

- Ergonomic design for easy product access
- Adjustable shelving options to optimise merchandising
- Optimised display with LED lighting
- Product temperature compliance
- Easy plug-in on-site installation

Standard Features

- Durable internal and external powder coat finish and shelf life
- Single row of 4000K LED canopy lighting
- 5 rows of 450mm powder coated shelves plus 525mm base
- Stainless steel bumper
- Adjustable feet
- Evaporative condensate removal
- EC fan motors
- Digital controller with temperature display



H2TMS-10 Self-Contained Chiller Open	
Height (mm)	2100
Total Length (mm)	980
Depth (mm)	860
Net Volume (L)	529
Gross Volume (L)	643
Display Area (m²)	1.409
Amperes (Amp)	10A
Crated Weight (kgs)	260



Temp Class 3M1
(-1°C to +5°C)



H2TMS-14 Self-Contained Chiller Open	
Height (mm)	2100
Total Length (mm)	1330
Depth (mm)	860
Net Volume (L)	735
Gross Volume (L)	893
Display Area (m²)	1.958
Amperes (Amp)	15A
Crated Weight (kgs)	350



Temp Class 3M1
(-1°C to +5°C)



H2TMS-19 Self-Contained Chiller Open	
Height (mm)	2100
Total Length (mm)	1955
Depth (mm)	860
Net Volume (L)	1102
Gross Volume (L)	1339
Display Area (m²)	2.936
Amperes (Amp)	15A
Crated Weight (kgs)	465



Temp Class 3M1
(-1°C to +5°C)



H2TMS-26 Self-Contained Chiller Open	
Height (mm)	2100
Total Length (mm)	2580
Depth (mm)	860
Net Volume (L)	1469
Gross Volume (L)	1785
Display Area (m²)	3.915
Amperes (Amp)	20A
Crated Weight (kgs)	585



Temp Class 3M1
(-1°C to +5°C)



H2TMDS-07

Self-Contained Single Door Chiller

Height (mm)	2100
Total Length (mm)	705
Depth (mm)	860
Net Volume (L)	367
Gross Volume (L)	615
Display Area (m ²)	0.811
Amperes (Amp)	10A
Crated Weight (kgs)	240



Temp Class 3M1
(-1°C to +5°C)



H2TMDS-10

Self-Contained Double Door Chiller

Height (mm)	2100
Total Length (mm)	980
Depth (mm)	860
Net Volume (L)	529
Gross Volume (L)	885
Display Area (m ²)	1.607
Amperes (Amp)	10A
Crated Weight (kgs)	300



Temp Class 3M1
(-1°C to +5°C)



H2TMDS-14

Self-Contained Double Door Chiller

Height (mm)	2100
Total Length (mm)	1330
Depth (mm)	860
Net Volume (L)	735
Gross Volume (L)	1229
Display Area (m ²)	1.918
Amperes (Amp)	10A
Crated Weight (kgs)	375



Temp Class 3M1
(-1°C to +5°C)



H2TMDS-19

Self-Contained Triple Door Chiller

Height (mm)	2100
Total Length (mm)	1955
Depth (mm)	860
Net Volume (L)	1102
Gross Volume (L)	1844
Display Area (m ²)	2.469
Amperes (Amp)	10A
Crated Weight (kgs)	525



Temp Class 3M1
(-1°C to +5°C)



H2TMDS-26


Self-Contained 4 Door Chiller

Height (mm)	2100
Total Length (mm)	2580
Depth (mm)	860
Net Volume (L)	1469
Gross Volume (L)	2459
Display Area (m ²)	3.317
Amperes (Amp)	20A
Crated Weight (kgs)	685



Temp Class 3M1
(-1°C to +5°C)





H2TLDS-07

Self-Contained Multideck Single Glass Door Freezer

Height (mm)	2100
Total Length (mm)	705
Depth (mm)	860
Net Volume (L)	239
Gross Volume (L)	576
Display Area (m²)	0.811
Amperes (Amp)	10A
Crated Weight (kgs)	245



H2TLDS-14

Self-Contained Multideck Double Glass Door Freezer

Height (mm)	2100
Total Length (mm)	1330
Depth (mm)	860
Net Volume (L)	479
Gross Volume (L)	1151
Display Area (m²)	1.607
Amperes (Amp)	10A
Crated Weight (kgs)	370



H2TLDS-19

Self-Contained Multideck Triple Glass Door Freezer

Height (mm)	2100
Total Length (mm)	1955
Depth (mm)	860
Net Volume (L)	718
Gross Volume (L)	1727
Display Area (m²)	2.469
Amperes (Amp)	20A
Crated Weight (kgs)	560



H2TLDS-26

Self-Contained Multideck 4-Glass Door Freezer

Height (mm)	2100
Total Length (mm)	2580
Depth (mm)	860
Net Volume (L)	958
Gross Volume (L)	2303
Display Area (m²)	3.317
Amperes (Amp)	20A
Crated Weight (kgs)	689



Includes Video
Rails & Pre
Designed Video
options



Includes Video
Rails & Pre
Designed Video
options



Includes Video
Rails & Pre
Designed Video
options

H2TH-07

Self-Contained Multideck Open Front Hot Cabinet

Height (mm)	2100
Total Length (mm)	685
Depth (mm)	860
Net Volume (L)	365
Gross Volume (L)	446
Display Area (m²)	0.93
Amperes (Amp)	10A
Crated Weight (kgs)	240



H2TH-10

Self-Contained Multideck Open Front Hot Cabinet

Height (mm)	2100
Total Length (mm)	960
Depth (mm)	860
Net Volume (L)	525
Gross Volume (L)	643
Display Area (m²)	1.34
Amperes (Amp)	15A
Crated Weight (kgs)	280



H2TH-14

Self-Contained Multideck Open Front Hot Cabinet

Height (mm)	2100
Total Length (mm)	1310
Depth (mm)	860
Net Volume (L)	729
Gross Volume (L)	893
Display Area (m²)	1.86
Amperes (Amp)	15A
Crated Weight (kgs)	360





Vertical
Food & Beverage Chillers



Benefits

- Ergonomic design for easy product access
- Adjustable shelving
- Visual impact from energy efficient LED lighting
- Low Total Energy Consumption to save on total energy costs
- High quality cabinet construction
- Small footprint with maximised display area
- Environmentally sustainable using natural, low GWP refrigerant
- Ensured product temperature compliance tested (GEMS/ EEI)

Standard Features

- LED lighting
- Digital controller display fitted
- 5 display levels plus base
- Powder coated galvanized steel construction
- Self-contained, plug and play installation
- Lockable castors
- Maximum operating temperature 40°C
- Bottom mounted refrigeration system
- Colour: Black internal, Black external
- Refrigerant: R290, R600a (BV520 W VS)
- Electrical 220-240V 10A



BV520 W VS
Self-Contained Single Glass Door Chiller

External. Dimensions (H x W x D)	2190 x 680 x 615
Internal Dimensions (H x W x D)	1675 x 575 x 500
Display Area (m²)	0.96
Gross Net Volume (L)	519 / 467
330 ml can loading (Max.)	684
500 ml bottle loading (Max.)	344
Facing	8
Transport Container 40 HC	51
Net Weight - unpackaged (Kg)	111
Gross Weight - packaged (Kg)	123
Amperage (Amps)	10A




BV770 W VS
Self-Contained Single Glass Door Chiller

External. Dimensions (H x W x D)	2190 x 800 x 700
Internal Dimensions (H x W x D)	1685 x 720 x 570
Display Area (m²)	1.21
Gross Net Volume (L)	728 / 678
Facing	10
330 ml can loading (Max.)	978
500 ml bottle loading (Max.)	489
Transport Container 40 HC	42
Net Weight - unpackaged (Kg)	131
Gross Weight - packaged (Kg)	145
Amperage (Amps)	10A



BV1300 W VS
Self-Contained Double Glass Door Chiller

External. Dimensions (H x W x D)	2190 x 1200 x 735
Internal Dimensions (H x W x D)	1571 x 1125 x 622
Display Area (m²)	2.40
Gross Net Volume (L)	1142 / 1088
Facing	16
330 ml can loading (Max.)	1306
500 ml bottle loading (Max.)	674
Transport Container 40 HC	24
Net Weight - unpackaged (Kg)	188
Gross Weight - packaged (Kg)	201
Amperage (Amps)	10A



BV1600 W VS
Self-Contained Triple Glass Door Chiller

External. Dimensions (H x W x D)	2190 x 1600 x 735
Internal Dimensions (H x W x D)	1545 x 1500 x 623
Display Area (m²)	3.39
Gross Net Volume (L)	1455 / 1362
Facing	22
330 ml can loading (Max.)	1828
500 ml bottle loading (Max.)	912
Transport Container 40 HC	21
Net Weight - unpackaged (Kg)	230
Gross Weight - packaged (Kg)	249
Amperage (Amps)	10A



Semi-vertical
Grab’N Go Cabinets



Benefits

- Ergonomic design for easy product access
- Alternative shelving options to optimise merchandising
- Optimised display with LED lighting
- Product temperature compliance [GEMS / EEI]
- Easy plug-in on-site installation
- Low Total Energy Consumption (TEC)
- Simple to install and maintain

Standard Features

- Internal and external powder coating
- 4000K LED canopy lighting & Undershelf lighting
- Adjustable feet
- EC fan motors
- Electronic Controller
- R290 Refrigerant
- Power Cable 2800mm
- Electrical 220-240V / 1P / 50Hz



SGN141S
Semi-Vertical Open Front Display Cabinet

Height (mm)	1400
Width	570
Width with ends (mm)	650
Ends (mm)	40
Depth (mm)	720




SGN152S
Semi-Vertical Open Front Display Cabinet

Height (mm)	1500
Width	937, 1250, 1450 (C)
Width with ends (mm)	1017, 1330, 1530 (C)
Ends (mm)	40
Depth (mm)	760



SGND153S Q4
Semi-Vertical Glass Door Cabinet (Hinged)

Height (mm)	1500
Width	937, 1250, 1450 (C), 1875
Width with ends (mm)	1017, 1330, 1530 (C), 1955
Ends (mm)	40
Depth (mm)	720



SGND153S Q5
Semi-Vertical Glass Door Cabinet (Sliding)

Height (mm)	1500
Width	937, 1250, 1450 (C), 1875
Width with ends (mm)	1017, 1330, 1530 (C), 1955
Ends (mm)	40
Depth (mm)	720





Dual Temperature
And Specialty




Benefits

- High vision dual temperature merchandiser with glass push-pull lids for greater customer interaction and product visibility
- Best visual impact for products with energy efficient LED lighting
- Low Total Energy Consumption to save on total energy costs
- Environmentally sustainable design using natural refrigerant
- Easy plug-in on-site installation
- Adjustable feet for easy levelling installation
- Flexible dual temperature cabinet (LT and MT) that easily changes from freezer to chiller to provide optimised merchandising to meet customer demand

Standard Features

- Single horizontal front and rear mounted remote controlled colour adjustable LED lights (white/pink)
- Rubber bumper (black)
- Automatic hot-gas defrost installed
- EC fan motors
- Four dividers and four shelves provided for each 2100 section
- R290 Refrigerant



VIEW-VS SERIES

Dual Temp Variable Speed Island Cabinet

	VIEW210-DTVS	VIEW210C-DTVS
Total Length (mm)	2200, 2500	2142
Standard Height (mm)	990	990
Standard Depth (mm)	1018	1018
Net Volume (L)	672	672
Display Area (m²)	1.68	1.66



ARCH SERIES

Modular Dual Temp Island Cabinet


	ARCH250-DTVS	ARCH220-DTVS	ARCH210-DTVS	ARCH194C-DTVS
Total Length (mm)	2500	2200	1700	1940 (CROWN)
Standard Height (mm)	835	835	835	835
Standard Depth (mm)	860	860	860	860
Net Volume (L)	677	657	411	452
Display Area (m²)	1.5	1.30	0.97	1.19



ARCH-VS SERIES

Modular Dual Temp Variable Speed Island Cabinet

	ARCH250-DTVS	ARCH220-DTVS	ARCH210-DTVS	ARCH194C-DTVS
Total Length (mm)	2500	2200	1700	1940 (CROWN)
Standard Height (mm)	835	835	835	835
Standard Depth (mm)	860	860	860	860
Net Volume (L)	677	657	411	452
Display Area (m²)	1.5	1.30	0.97	1.19



ARCH PLUS

Dual Temp Variable Top Mounted Cabinet

	ARCHPLUS220-DT	ARCHPLUS250-DT
Total Length (mm)	2200	2500
Standard Height (mm)	1315	1315
Standard Depth (mm)	630	630
Net Volume (L)	415	554
Display Area (m²)	1.00	1.11



Serve-Over Deli
Display Cabinets



Benefits

Ergonomic design for easy access
Low product dehydration
Low Total Energy Consumption (TEC)
Product temperature compliance
Longer merchandise shelf life
Self contained

Standard Features

Full stainless steel interior
Stainless steel deck pan
Powder coated front exterior panels
Hinged flat front glass
Single row of canopy lights
Rubber bumper
Protected evaporator assembly fitted with valve



VLL726BLS
Self-Contained Service Deli

Length (mm) Crown ends	-
Length (mm) Excluding ends	1250, 1875, 2500, 3750
Depth	1205 (V-series Deli)
Height (mm)	915




VVS727B
Self Serve Specialty 2 Tier Display Cabinet

Length (mm) Crown ends	-
Length (mm) Excluding ends	1250, 1875, 2500, 3750
Depth	1200 (V-series Deli)
Height (mm)	1210




Note : Technically advanced design deli case is product temperature compliant for low product dehydration and longer shelf life.



Remote Only

VLL726BLS
Self Serve Specialty 1 Tier Display Cabinet

Length (mm) Crown ends	-
Length (mm) Excluding ends	1250, 1875, 2500
Depth	1205 (V-series Deli)
Height (mm)	880



Remote Only

VLL727BL
Serviced Seafood Display Cabinet

Length (mm) Crown ends	-
Length (mm) Excluding ends	1250, 1875, 2500, 3750
Depth	1205 (V-series Deli)
Height (mm)	880





Heated
Display Cabinets




Benefits

- Ergonomic design for easy product access
- Multi level island cabinet with hexagonal footprint
- Suitable for merchandising packaged hot food
- Product temperature compliance
- Low Total Energy Consumption (TEC)
- Simple to install and maintain


Standard Features

- Full stainless steel interior
- Halogen lighting on both levels
- Polycarbonate & acrylic heat guards
- Plastic bumper
- Lockable 125 mm castors (to allow mobility)



REM
Heated Self-Service Display Cabinet

Length (mm) Excluding ends	1250, 1875, 2500
Depth (mm)	915




Temp Class Hot
(+60°C to +80°C)



RHR
Heated Self-Service Display Cabinet

Length (mm) Excluding ends	1255
Depth (mm)	1450



Temp Class Hot
(+60°C to +80°C)




MIC
Heated Self-Service Display Cabinet

Length (mm) Excluding ends	1800
Depth (mm)	1125



Temp Class Hot
(+60°C to +80°C)



KH14
Heated Self-Service

Length (mm) Excluding ends	1575, 2200
Depth (mm)	1265



Temp Class Hot
(+60°C to +80°C)



Semi-self contained only

SMH1400

Semi-vertical Multideck Hot Chicken

Length (mm) Crown ends	1605
Length (mm) Excluding ends	937, 1250, 1875, 2500
Depth	840
Height	-




Remote Only

VLL926BL-SS

Hot Self Serve

Length (mm) Crown ends	-
Length (mm) Excluding ends	1250, 1875
Depth	V Series Deli: 1200
Height	880



Remote Only

VLL926BL-SO

Hot Serviced

Length (mm) Crown ends	-
Length (mm) Excluding ends	1250, 1875
Depth	V Series Deli: 1200
Height	880



Promotional Display Merchandisers



Benefits

- Ergonomic design for easy access
- Optimised display with LED lighting
- Product temperature compliance
- Longer merchandise shelf life
- Suitable for Drinks, Specialty, Bakery and Grab and Go merchandising
- Simple to install and maintain

Standard Features


- Internal panels, polished stainless steel
- External panels, powder coated steel
- Single row canopy light - 4000K
- Single row shelf light - 4000K
- EC fan motors
- Digital display fitted
- Air return grill



JM12-2

Island Merchandiser


Length (mm) Crown ends	-
Length (mm) Excluding ends	1250, 1875, 2500, 3750
Depth	1205 (V-series Deli), 1090 (D-Series Deli)
Height (mm)	-



JM09

Island Merchandiser

Total Display Area TDA (m2)	1.28
Width (mm)	1100
Depth (mm)	1140
Height (mm)	920



HUSSmann®



HUSSMANN®

AUSTRALIA

Head Office: **Sydney**

Address: 66 Glendenning Road, Glendenning, NSW 2761 Australia

Web: hussmann.com.au